Hearing Research, 28 (1987) 280–281
Elsevier

Author Index

Bock, G.R., see Steel, K.P., 227
Bonfils, P. and Puel, J.-L.
Functional properties of the crossed part of the medial olivo-cochlear bundle, 125

Coats, A.C., see Lonsbury-Martin, B.L., 173
Coats, A.C., see Martin, G.K., 191
Cohen, G.M.
Acetylcholinesterase activity in the embryonic chick's inner ear, 57
Cotanche, D.A.
Development of hair cell stereocilia in the avian cochlea, 35

Dechesne, C.J., see Sans, A., 65
Despres, G., see Romand, R., 1
Dunn, J.D., see Godfrey, D.A., 237
Dunn, J.D., see Godfrey, D.A., 253

Fermin, C.D., Igarashi, M. and Yoshihara, T.
Ultrastructural changes of statoconia after segmentation of the otolithic membrane, 23

Giry, N., see Romand, R., 1
Glasberg, B.R., see Moore, B.C.J., 209
Godfrey, D.A., Park-Hellendall, J.L., Dunn, J.D. and Ross, C.D.
Effect of olivocochlear bundle transection on choline acetyltransferase activity in the rat cochlear nucleus, 237
Godfrey, D.A., Park-Hellendall, J.L., Dunn, J.D. and Ross, C.D.
Effects of trapezoid body and superior olive lesions on choline acetyltransferase activity in the rat cochlear nucleus, 253

Hinojosa, R., see Meza, G., 73
Hubel, S.B., see Park, J.C., 87

Igarashi, M., see Fermin, C.D., 23

Janisch, R., see Úlehlová, L., 149
Johnstone, B.M., see Syková, E., 161

Lim, D.J.
Development of the tectorial membrane, 9
Lonsbury-Martin, B.L., Martin, G.K., Probst, R. and Coats, A.C.
Acoustic distortion products in rabbit ear canal. I. Basic features and physiological vulnerability, 173
Lonsbury-Martin, B.L., see Martin, G.K., 191

Martin, G.K., Lonsbury-Martin, B.L., Probst, R., Scheinin, S.A. and Coats, A.C.
Acoustic distortion products in rabbit ear canal. II. Sites of origin revealed by suppression contours and pure-tone exposures, 191
Martin, G.K., see Lonsbury-Martin, B.L., 173
McGee, J., see Walsh, E.J., 97
Meza, G. and Hinojosa, R.
Ontogenetic approach to cellular localization of neurotransmitters in the chick vestibule, 73
Moore, B.C.J. and Glasberg, B.R.
Formulae describing frequency selectivity as a function of frequency and level, and their use in calculating excitation patterns, 209
Moorjani, P., see Steel, K.P., 227
Mroz, E.A., see Sweeney, T.K., 153

Park, J.C., Hubel, S.B. and Woods, A.D.
Morphometric analysis and fine structure of the vestibular epithelium of aged C57BL/6NNia mice, 87
Park-Hellendall, J.L., see Godfrey, D.A., 237
Park-Hellendall, J.L., see Godfrey, D.A., 253
Probst, R., see Lonsbury-Martin, B.L., 173
Probst, R., see Martin, G.K., 191
Puel, J.-L., see Bonfils, P., 125

Raymond, J.
In vitro differentiation of mouse embryo statoacoustic ganglion and sensory epithelium, 45
Relkin, E.M., see Siegel, J.H., 131
Romand, R., Despres, G. and Giry, N.
Factors affecting the onset of inner ear function, 1
Romand, R.
Tonotopic evolution during development , 117
Ross, C.D., see Godfrey, D.A., 237
Ross, C.D., see Godfrey, D.A., 253

Sans, A. and Dechesne, C.J.
Afferent nerve ending development and synaptogenesis in the vestibular epithelium of human fetuses, 65
Scheinin, S.A., see Martin, G.K., 191
Sewell, W.F., see Sweeney, T.K., 153
Siegel, J.H. and Relkin, E.M.
Antagonistic effects of perilymphatic calcium and magnesium on the activity of single cochlear afferent neurons, 131

0378-5955/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Steel, K.P., Moorjani, P. and Bock, G.R.
Mixed conductive and sensorineural hearing loss in LP/J mice, 227
Sweeney, T.K., Mroz, E.A. and Sewell, W.F.
Isolation and culture of auditory cells from the goldfish *(Carassius auratus)*, 153
Syka, J., see Syková, E., 161
Syková, E., Syka, J., Johnstone, B.M. and Yates, G.K.
Longitudinal flow of endolymph measured by distribution of tetraethylammonium and choline in scala media, 161

Tonndorf, J.
The analogy between tinnitus and pain: A suggestion for a physiological basis of chronic tinnitus, 271

Úlehlová, L., Voldřich, L. and Janisch, R.
Correlative study of sensory cell density and cochlear length in humans, 149

Voldřich, L., see Úlehlová, L., 149

Walsh, E.J. and McGee, J.
Postnatal development of auditory nerve and cochlear nucleus neuronal responses in kittens, 97
Woods, A.D., see Park, J.C., 87

Yates, G.K., see Syková, E., 161
Yoshihara, T., see Fermin, C.D., 23

Hearing Research, 28 (1987) 282–284
Elsevier

Subject index

Acetylcholinesterase
basilar papilla, crista ampullaris, efferent terminal, lagenar macula, developing inner ear, 57

Acoustic distortion product
fatigue, anoxia, rabbit, 173

suppression, sound exposure, rabbit, 191

Actin
stereocilium, hair cell, development, cochlea, chick, 35

Aging
vestibular organ, lipofuscin, synaptic bar, 87

Air-bone gap
LP/J mouse, otosclerosis, conductive hearing loss, ossicular lesion, middle-ear anomaly, 227

Anoxia
acoustic distortion product, fatigue, rabbit, 173

Auditory development
auditory nerve, cochlear nucleus, microionophoresis, neurotransmitter, 97

Auditory filter
frequency selectivity, masking, excitation pattern, power-spectrum model, 209

Auditory nerve
auditory development, cochlear nucleus, microionophoresis, neurotransmitter, 97

inner ear, hair cell, cell culture, 153

Auditory nerve fiber function
tinnitus, hair cell function, de-afferentation, 271

Basilar papilla
acetylcholinesterase, crista ampullaris, efferent terminal, lagenar macula, developing inner ear, 57

Biochemistry
vestibule development, statoconia development, ultrastructure, 23

Calcium
hair cell, transmitter release, 131

Cell culture
inner ear, hair cell, auditory nerve, 153

Chick
stereocilium, hair cell, actin, development, cochlea, 35

Chick vestibule morpho-biochemistry
vestibular-neurotransmitter development, vestibular GABAergic neuromediation, Vestibular cholinergic neuromediation, 73

Cholinergic element
cochlear nucleus, olivochoclear bundle, rat, microchemistry, 237

cochlear nucleus, trapezoid body, superior olivary complex, Rat, 253

Cochlea
stereocilium, hair cell, actin, development, chick, 35

tonotopy, tuning curve, development, 117

cochlear efferent, functional tuning curve, forward masking, 125

Cochlear efferent
cochlea, functional tuning curve, forward masking, 125

Cochlear nucleus
auditory development, auditory nerve, microionophoresis, neurotransmitter, 97

cholinergic element, olivochoclear bundle, rat, microchemistry, 237

cholinergic element, trapezoid body, superior olivary complex, rat, 253

Conductive hearing loss
LP/J mouse, otosclerosis, air-bone gap, ossicular lesion, middle-ear anomaly, 227

Crista ampullaris
acetylcholinesterase, basilar papilla, efferent terminal, lagenar macula, developing inner ear, 57

De-afferentation
tinnitus, hair cell function, auditory nerve fiber function, 271

0378-5955/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Developing inner ear
acetylcholinesterase, basilar papilla, crista ampullaris, efferent terminal, lagenar macula, 57

Development
inner ear, onset of function, limiting factor, 1

stereocilium, hair cell, actin, cochlea, chick, 35

human fetus, vestibular epithelium, synaptogenesis, 65

tonotopy, tuning curve, cochlea, 117

Efferent terminal
acetylcholinesterase, basilar papilla, crista ampullaris, lagenar macula, developing inner ear, 57

Endolymph
flow rate, TEA, ion-sensitive microelectrode, 161

Excitation pattern
frequency selectivity, auditory filter, masking, power-spectrum model, 209

Fatigue
acoustic distortion product, anoxia, rabbit, 173

Flow rate
endolymph, TEA, ion-sensitive microelectrode, 161

Forward masking
cochlea, cochlear efferent, functional tuning curve, 125

Frequency selectivity
auditory filter, masking, excitation pattern, power-spectrum model, 209

Functional tuning curve
cochlea, cochlear efferent, forward masking, 125

Hair cell
stereocilium, actin, development, cochlea, chick, 35

transmitter release, calcium, 131

inner ear, auditory nerve, cell culture, 153

Hair cell count
human cochlea, length variability, 149

Hair cell function
tinnitus, auditory nerve fiber function, de-afferentation, 271

Human cochlea
hair cell count, length variability, 149

Human fetus
vestibular epithelium, development, synaptogenesis, 65

Inner ear
onset of function, development, limiting factor, 1

hair cell, auditory nerve, cell culture, 153

In vitro differentiation
statoacoustic ganglion, mouse embryo otocyst, organ culture, tissue culture, 45

Ion-sensitive microelectrode
endolymph, flow rate, TEA, 161

Lagenar macula
acetylcholinesterase, basilar papilla, crista ampullaris, efferent terminal, developing inner ear, 57

Length variability
human cochlea, hair cell count, 149

Limiting factor
inner ear, onset of function, development, 1

Lipofuscin
vestibular organ, aging, synaptic bar, 87

LP/J mouse
otosclerosis, air-bone gap, conductive hearing loss, ossicular lesion, middle-ear anomaly, 227

Masking
frequency selectivity, auditory filter, excitation pattern, power-spectrum model, 209

Microchemistry
cochlear nucleus, cholinergic element, olivochoclear bundle, rat, 237

Microionophoresis
auditory development, auditory nerve, cochlear nucleus, neurotransmitter, 97

Middle-ear anomaly
LP/J mouse, otosclerosis, air-bone gap, conductive hearing loss, ossicular lesion, 227

Mouse embryo otocyst
statoacoustic ganglion, in vitro differentiation, organ culture, tissue culture, 45

Neurotransmitter
auditory development, auditory nerve, cochlear nucleus, microionophoresis, 97

Olivochoclear bundle
cochlear nucleus, cholinergic element, rat, microchemistry, 237

Onset of function
inner ear, development, limiting factor, 1

Organ culture
statoacoustic ganglion, mouse embryo otocyst, in vitro differentiation, tissue culture, 45

Organ of Corti
stereocilia development, tectorial membrane formation, stereocilia-tectorial membrane attachment, 9

Ossicular lesion
LP/J mouse, otosclerosis, air-bone gap, conductive hearing loss, middle-ear anomaly, 227

Otosclerosis
LP/J mouse, air-bone gap, conductive hearing loss, ossicular lesion, middle-ear anomaly, 227

Power-spectrum model
frequency selectivity, auditory filter, masking, excitation pattern, 209

Rabbit
acoustic distortion product, fatigue, anoxia, 173

acoustic distortion product, suppression, sound exposure, 191

Rat
cochlear nucleus, cholinergic element, olivochoclear bundle, microchemistry, 237

cochlear nucleus, cholinergic element, trapezoid body, superior olivary complex, 253

Sound exposure
acoustic distortion product,r suppression, rabbit, 191

Statoacoustic ganglion
mouse embryo otocyst, in vitro differentiation, organ culture, tissue culture, 45

Statoconia development
vestibule development, ultrastructure, biochemistry, 23

Stereocilia development
tectorial membrane formation, organ of Corti, stereocilia-tectorial membrane attachment, 9

Stereocilia-tectorial membrane attachment
stereocilia development, tectorial membrane formation, organ of Corti, 9

Stereocilium
hair cell, actin, development, cochlea, chick, 35

Superior olivary complex
cochlear nucleus, cholinergic element, trapezoid body, rat, 253

Suppression
acoustic distortion product, sound exposure, rabbit, 191

Synaptic bar
vestibular organ, aging, lipofuscin, 87

Synaptogenesis
human fetus, vestibular epithelium, development, 65

TEA
endolymph, flow rate, ion-sensitive microelectrode, 161

Tectorial membrane formation
stereocilia development, organ of Corti, stereocilia-tectorial membrane attachment, 9

Tinnitus
hair cell function, auditory nerve fiber function, de-afferentation, 271

Tissue culture
statoacoustic ganglion, mouse embryo otocyst, in vitro differentiation, organ culture, 45

Tonotopy
tuning curve, development, cochlea, 117

Transmitter release
hair cell, calcium, 131

Trapezoid body
cochlear nucleus, cholinergic element, superior olivary complex, rat, 253

Tuning curve
tonotopy, development, cochlea, 117

Ultrastructure
vestibule development, statoconia development, biochemistry, 23

Vestibular cholinergic neuromediation
vestibular-neurotransmitter development, vestibular GABAergic neuromediation, chick vestibule morpho-biochemistry, 73

Vestibular epithelium
human fetus, development, synaptogenesis, 65

Vestibular GABAergic neuromediation
vestibular-neurotransmitter development, vestibular cholinergic neuromediation, chick vestibule morpho-biochemistry, 73

Vestibular-neurotransmitter development
vestibular GABAergic neuromediation, vestibular cholinergic neuromediation, chick vestibule morpho-biochemistry, 73

Vestibular organ
aging, lipofuscin, synaptic bar, 87

Vestibule development
statoconia development, ultrastructure, biochemistry, 23